



# Wuxi Shenbing Bearing Company Limited



## 25 mm x 62 mm x 17 mm KOYO 6305 Cartridge Unit Bearings

Bearing No. 6305

6305 Bearing 2D drawings and 3D CAD models

Size	25x62x17 mm
Bore Diameter	25 mm
Outer Diameter	62 mm
Width	17 mm
d	25 mm
D	62 mm
B	17 mm
C	17 mm
r min.	1,1 mm
da min.	31,5 mm
Da max.	55,5 mm
ra max.	1 mm
Weight	0,232 Kg
Basic dynamic load rating (C)	20,6 kN
Basic static load rating (C0)	11,3 kN
(Grease) Lubrication Speed	11000 r/min
(Oil) Lubrication Speed	13000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.254
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## Wuxi Shenbing Bearing Company Limited

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	25MM Bore; 62MM Outside Diameter; 17MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6305
Weight / LBS	0.56
Outer Race Width	0.669 Inch   17 Millimeter
Outside Diameter	2.441 Inch   62 Millimeter
Bore	0.984 Inch   25 Millimeter
Bearing No.	6305
r(min)	1.1
Cr	25.7
C0r	11.3
Cu	0.860
f0	13.2
Grease lub.	11000
Oil lub.	13000



## Wuxi Shenbing Bearing Company Limited

da(min)	31.5
Da(max)	55.5
ra(max)	1
(Refer.)Mass(kg)	0.232